



American Hippotherapy Association Inc.

2537 Research Blvd. Suite #203 Fort Collins, CO 80526

970-818-1322

www.americanhippotherapyassociation.org

AHA, INC. BIBLIOGRAPHY AND REFERENCE LIST

The following is a list of published articles which describe the inclusion of hippotherapy in occupational therapy, physical therapy or speech language pathology service delivery. Please note that terminology varies, and articles may use terminology that is not consistent with the AHA Inc. Terminology Guidelines. In addition, some of the articles describe the inclusion of both recreational activities and therapies that incorporate equines. Thoughtful consideration should be taken when reviewing and interpreting findings.

LITERATURE & SYSTEMATIC REVIEWS

According to the Cochrane Consumer Network, “A systematic review summarizes the results of available carefully designed healthcare studies (controlled trials) and provides a high level of evidence on the effectiveness of healthcare interventions. Judgements may be made about the evidence and inform recommendations for healthcare. These reviews are complicated and depend largely on what clinical trials are available, the quality of the methodology, and the health outcomes that were measures. Review authors pool numerical data about effects of the treatment through a process called meta-analyses. Then authors assess the evidence for any benefits or harms from those treatments. In this way, systematic reviews are able to summarize the existing clinical research on a topic” (The Cochrane Collaboration, <http://consumers.cochrane.org/what-systematic-review>, 2017).

Angoules, A., Koukoulas, D., Balakatounis, K., Kapari, I., & Matsouki, E. (2015). A review of efficacy of hippotherapy for the treatment of musculoskeletal disorders. *British Journal of Medicine and Medical Research*, 8(4), 289–297.
<http://doi.org/10.9734/BJMMR/2015/17023>

Bronson, C., Brewerton, K., Ong, J., Palanca, C., & Sullivan, S.J. (2010). Does hippotherapy improve balance in persons with multiple sclerosis: A systematic review. *European Journal of Physical and Rehabilitation Medicine*, 46, 347-353. PMID:20927000

de Araújo, P. A., Starling, J. M. P., Oliveira, V. C., Gontijo, A. P. B., & Mancini, M. C. (2019). Combining balance-training interventions with other active interventions may enhance effects on postural control in children and adolescents with cerebral palsy: a systematic review and meta-analysis. *Brazilian journal of physical therapy*.
<https://doi.org/10.1016/j.bjpt.2019.04.005>

Marquez, J., Weerasekara, I., & Chambers, L. (2018). Hippotherapy in adults with acquired brain injury: A systematic review. *Physiotherapy theory and practice*, 1-12.

McDaniel Peters, B.C., & Wood, W. (2017). Autism and equine-assisted interventions: A systematic mapping review. *Journal of Autism and Developmental Disorders*, 47, 3220–3242. <http://doi.org/10.1007/s10803-017-3219-9>

Novak, I., McIntyre, S., Morgan, C., Campbell, L., Dark, L., Morton, N., Stumbles, E., Wilson, S., & Goldsmith, S. (2013). A systematic review of interventions for children with cerebral palsy: State of the evidence. *Developmental Medicine & Child Neurology*, 55, 885–910. <http://doi.org/10.1111/dmcn.12246>

Sterba, J. A. (2007). Does horseback riding therapy or therapist-directed hippotherapy rehabilitate children with cerebral palsy? *Developmental Medicine and Child Neurology*, 49(1), 68–73. <http://doi.org/10.1017/S0012162207000175.x>

Stern, C., & Chur-Hansen, A. (2019). An umbrella review of the evidence for equine-assisted interventions. *Australian Journal of Psychology*. <https://doi.org/10.1111/ajpy.12246>

Tseng, S. H., Chen, H.C., & Tam, K.W. (2012). Systematic review and meta-analysis of the effect of equine assisted activities and therapies on gross motor outcome in children with cerebral palsy. *Disability and Rehabilitation*, 35, 1–11. <https://doi.org/10.3109/09638288.2012.687033>

Whalen, N.C., & Case-Smith, J. (2012). Therapeutic effects of horseback riding therapy on gross motor function in children with cerebral palsy: A systematic review. *Physical & Occupational Therapy in Pediatrics*, 32(3), 229–242. <https://doi.org/10.3109/01942638.2011.619251>

Zadnikar, M., & Kastrin, A. (2011). Effects of hippotherapy and therapeutic horseback riding on postural control or balance in children with cerebral palsy: A meta-analysis. *Developmental Medicine and Child Neurology*, 53(8), 684-691. <https://doi.org/10.1111/j.1469-8749.2011.03951.x>

PEER-REVIEWED RESEARCH PAPERS

This section includes articles that use scientific research and inquiry methods that include more than one research participant.

Ajzenman H.F., Standeven, J.W., & Shurtleff, T.L. (2013). Effects of hippotherapy on motor control, adaptive behaviors, and participation in children with autism spectrum disorder: A pilot study. *American Journal of Occupational Therapy*, 67(6), 653-63. <https://doi.org/10.5014/ajot.2013.008383>

Alemdaroğlu, E., Yanikoğlu, I., Öken, Ö., Uçan, H., Ersöz, M., Köseoğlu, B. F., & Kapicioğlu, M. I. S. (2016). Horseback riding therapy in addition to conventional rehabilitation program decreases spasticity in children with cerebral palsy: A small sample study. *Complementary Therapies in Clinical Practice*, 23, 26–29. <http://dx.doi.org/10.1016/j.ctcp.2016.02.002>

Araujo, T., Silva, N., Costa, J., Pereira, Safons, M. (2011) Effect of equine-assisted therapy on the postural balance of the elderly. *Revista Brasileira Fisioterapia*, 15(5) 414-419

- Barolin, G.S., & Samborski R. (1991). The horse as an aid in therapy. *Wiener Medizinische Wochenschrift*, 141(20), 476-81. PMID: 1763515
- Beetz, A., Winkler, N., Julius, H., Uvnäs-Moberg, K., & Kotrschal, K. (2015). A Comparison of equine-assisted intervention and conventional play-based early intervention for mother-child dyads with insecure attachment. *Journal of Occupational Therapy, Schools, & Early Intervention*, 8(1), 17–39. <https://doi.org/10.1080/19411243.2015.1026017>
- Benda, W., McGibbon, N.H., & Grant, K.L. (2003). Improvements in muscle symmetry in children with cerebral palsy after equine-assisted therapy (hippotherapy). *The Journal of Alternative and Complementary Medicine*, 9(6), 817-825. <https://doi.org/10.1089/107555303771952163>
- Bîlbă, A.N., (2015). Equine therapy-Applications in the recovery of disabled children. *Journal of Experimental Psychotherapy*, 18(4), 46-53.
- Bloch, E. (2018). Hippotherapy: The Lived Experience of Parents of Children With Autism. *American Journal of Occupational Therapy*, 72(4_Supplement_1), 7211510169p1-7211510169p1.
- Cabiddu, R, Borghi-Silva, A, Trimer, et al. (2016) Hippotherapy acute impact on heart rate variability non-linear dynamics in neurological disorders. *Physiol Behav*. 15,159:88-94. doi: 10.1016/j.physbeh.2016.03.012.
- Casady R.L., & Nichols-Larsen, D.S. (2004). The effect of hippotherapy on ten children with cerebral palsy, *Pediatric Physical Therapy*. 16(3), 165-172. <https://doi.org/10.1097/01.PEP.0000136003.15233.0C>
- Champagne, D., & Dugas, C. (2010). Improving gross motor function and postural control with hippotherapy in children with down syndrome: Case reports. *Physiotherapy Theory and Practice*, 8, 564-571. <https://doi.org/10.3109/09593981003623659>
- Chang, H.J., Kwon, J.Y., Lee, J.Y., & Kim, Y.H. (2012). The effects of hippotherapy on the motor function of children with spastic bilateral cerebral palsy. *Journal of Physical Therapy Science*, 24(12), 1277-80. <http://doi.org/10.1589/jpts.24.1277>
- Cook, R. (2011). Human incidents and injury within the hippotherapy milieu: Four years of safety study data of risk, risk management, and occurrences definition of hippotherapy. *Scientific and Educational Journal of Therapeutic Riding*, 57–66.
- de Araujo, T.B., de Oliveira, R.J., Martins, W.R., de Moura Pereira, M., Copetti, F., & Safons, M.P. (2013). Effects of hippotherapy on mobility, strength and balance in elderly. *Archives Gerontology and Geriatrics*, 56(3), 478-81. <https://doi.org/10.1016/j.archger.2012.12.007>
- Debuse, D., Chandler, C., & Gibb, C. (2005). An exploration of German and British physiotherapists views on the effects of hippotherapy and their measurement. *Physiotherapy Theory and Practice*, 21(4), 219-242. <https://doi.org/10.1080/09593980500321143>

- DeBuse, D., Gibb, C., & Chandler, C. (2009). Effects of hippotherapy on people with cerebral palsy from a users' perspective: A qualitative study. *Physiotherapy Theory and Practice*, 25(30), 174-192. <https://doi.org/10.1080/09593980902776662>
- del Rosario-Montejo, O., Molina-Rueda, F., Muñoz-Lasa, S., & Alguacil-Diego, I. M. (2015). Effectiveness of equine therapy in children with psychomotor impairment. *Neurología*, 30(7), 425–32. <https://doi.org/10.1016/j.nrleng.2013.12.017>
- Deutz, U., Heussen, N., Weigt-Usinger, K., Leiz, S., Raabe, C., Polster, T., ... & Hollmann, H. (2018). Impact of hippotherapy on gross motor function and quality of life in children with bilateral cerebral palsy: A randomized open-label crossover study. *Neuropediatrics*, 49(03), 185-192.
- Dewar, R., Love, S., & Johnston, L.M. (2014). Exercise interventions improve postural control in children with cerebral palsy: A systematic review. *Developmental Medicine & Child Neurology*, 57(6), 504-520. <https://doi.org/10.1111/dmcn.12660>.
- Dirienzo, L.N., Dirienzo, L.T., & Baceski, D.A. (2007). Heart rate response to therapeutic riding in children with cerebral palsy: An exploratory study. *Pediatric Physical Therapy*, 19(2), 160-165. <https://doi.org/10.1097/PEP.0b013e31804a57a8>
- Donaldson, M. C., Holter, A. M., Neuhoff, S., Arnosky, J. A., Simpson, B. W., Vernon, K., ... & DesJardins, J. D. (2019). The Translation of Movement From the Equine to Rider With Relevance for Hippotherapy. *Journal of equine veterinary science*, 77, 125-131.
- du Plessis, N., Buys, T. L., & de Bruyn, J. T. (2019). Effect of hippotherapy on physiological cost index and walking speed of adolescents with diplegia. *British Journal of Occupational Therapy*, 0308022619841318.
- El-Meniawy, G. H., & Thabet, N. S. (2012). Modulation of back geometry in children with spastic diplegic cerebral palsy via hippotherapy training. *Egyptian Journal of Medical Human Genetics*, 13(1), 63–71. <https://doi.org/10.1016/j.ejmhg.2011.10.004>
- Encheff, J.L., Armstrong, C., Masterson, M., Fox, C., & Gribble, P. (2012). Hippotherapy effects on trunk, pelvic, and hip motion during ambulation in children with neurological impairments. *Pediatric Physical Therapy*, 24(3), 242-250. <https://doi.org/10.1097/PEP.0b013e31825c1dc3>
- Exner, G., Engelmann, A., Lange, K., & Wenck, B. (1994). Basic principles and effects of hippotherapy within the comprehensive treatment of paraplegic patients *Rehabilitation (Stuttg)*, 33(1): 39-43. PMID: 8165362
- Flores, F. M., Dagnese, F., & Copetti, F. (2019). Do the type of walking surface and the horse speed during hippotherapy modify the dynamics of sitting postural control in children with cerebral palsy?. *Clinical Biomechanics*. <https://doi.org/10.1016/j.clinbiomech.2019.07.030>

- Garner, B.A., & Rigby, B.R. (2015). Human pelvis motions when walking and when riding a therapeutic horse. *Human Movement Science*, 39, 121-137.
<https://doi.org/10.1016/j.humov.2014.06.011>
- Gencheva, N., Ivanova, I., & Stefanova, D. (2015). Evaluation of hippotherapy in the course of multiple sclerosis treatment. *Activities in Physical Education and Sport*, 5(2), 183–187.
- Giagazoglou, P., Arabatzi, F., Dipla, K., Liga, M., & Kellis, E. (2012). Effect of a hippotherapy intervention program on static balance and strength in adolescents with intellectual disabilities. *Research in Developmental Disabilities*, 33(6), 2265–2270.
<https://doi.org/10.1016/j.ridd.2012.07.004>
- Giagazoglou, P., Arabatzi, F., Kellis, E., Liga, M., Karra, C., & Amiridis, I. (2013). Muscle reaction function of individuals with intellectual disabilities may be improved through therapeutic use of a horse. *Research in Developmental Disabilities*, 34(9), 2442–2448.
<https://doi.org/10.1016/j.ridd.2013.04.015>
- Glazer, H.R., Clark, M.D., & Stein, D.S. (2004). The impact of hippotherapy on grieving children. *Journal of Hospice & Palliative Nursing*, 6(3), 171–175.
<https://doi.org/00129191-200407000-00013>
- Goldmann, T., & Vilimek, M. (2012). Kinematics of human spine during hippotherapy. *Computer Methods in Biomechanics and Biomedical Engineering*, 15(1), 203–5.
<https://doi.org/10.1080/10255842.2012.713619>
- Gottwald, A., Biewald, N. (1981). New aspects in the treatment of Scheuermann's disease with hippotherapy. *Zeitschrift fur Orthopadie und Ihre Grenzgebiete*, 119(4): 351-5. PMID: 7293343
- Granados, A.C., & Agis, I.F. (2011). Why children with special needs feel better with hippotherapy sessions: A conceptual review. *The Journal of Alternative and Complementary Medicine*, 17(3), 191-197. <https://doi.org/10.1089/acm.2009.0229>
- Gui-Lin, C., Wang, S., Kawata, K., Shinomiya, Y., Ozawa, T., Ishida, K., Kimura, T., & Tsuchiya, T. (2002). Biofeedback control of horseback riding simulator. Proceedings from: The First International Conference on Machine Learning and Cybernetics. Bejing, China. <https://doi.org/10.1109/ICMLC.2002.1175369>
- Haehl, V., Giuliani, C., Lewis, C. (1999). The influence of hippotherapy on the kinematics and functional performance of two children with cerebral palsy. *Pediatric Physical Therapy*, 11, 89-101.
- Hameury, L., Delavous, P., Teste, B., Leroy, C., Gaboriau, J.C., & Berthier, A. (2010). Equine-assisted therapy and autism. *Annales Medico-Psychologiques*, 168(9), 655–659.
<https://doi.org/10.1016/j.amp.2009.12.019>
- Hamill, D., Washington, K., & White, O.R. (2007). The effect of hippotherapy on postural control in sitting for children with cerebral palsy. *Physical & Occupational Therapy in Pediatrics*, 27(4), 23-42. https://doi.org/10.1080/J006v27n04_03

- Hammer, A., Nilsagard, Y., Forsberg, A., Pepa, H., Skargren, E., & Oberg, B. (2005). Evaluation of therapeutic riding (Sweden) / hippotherapy (USA). A single-subject experimental design study replicated in eleven patients with multiple sclerosis. *Physiotherapy Theory and Practice*, 21(1): 51-77. <https://doi.org/10.1080/09593980590911525>
- Hawkins, B.L., Ryan, J.B., Cory, L.A., & Donaldson, M.C. (2014). Effects of equine-assisted therapy on gross motor skills of two children with autism spectrum disorder. *Therapeutic Recreation Journal*, 48(2), 135–150.
- Heine, B. (1997). Hippotherapy: A multi-system approach to the treatment of neuromuscular disorders. *Australia Journal of Physiotherapy*, 43(2), 145-149. [https://doi.org/10.1016/S0004-9514\(14\)60407-5](https://doi.org/10.1016/S0004-9514(14)60407-5)
- Homem, R., & Oliveira, R. (2015). Influence of hippotherapy on the sleep of patients with Parkinson's disease at advanced stage. *Sleep Medicine*, 16, S181. <http://dx.doi.org/10.1016/j.sleep.2015.02.1363>
- Honkavaara, M., & Rintala, P. (2010). The influence of short term, intensive hippotherapy on gait in children with cerebral palsy. *European Journal of Adapted Physical Activity*, 3(2), 29–36.
- Hsieh, Y., Chang, Sun, Chan, Want, Luo (2017). Effects of hippotherapy on body functions, activities and participation in children with CP based on ICF-CY assessments. *Disability and Rehabilitation*, 39:17,1703-1713, DOI: 10.1080/09638288.2016.1207108
- Ionatamishvili, N.I., Tsverava, D.M., Loriya, M. Sh., Sheshaberidze, E.G., & Rukhadze, M.M. (2004). Riding therapy as a method of rehabilitation of children with cerebral palsy. *Human Physiology*, 30(5): 561-565.
- Janura, M., Peham, C., Dvorakova, C., & Elfmark, M. (2009). An assessment of pressure distribution exerted by a rider on the back of a horse during hippotherapy. *Human Movement Science*, 28, 387-393. <https://doi.org/10.1016/j.humov.2009.04.001>
- Janura, M., Svoboda, Z., Dvorakova, T., Cabell, L., Elfmark, M., & Janurova, E. (2012). The variability of a horse's movement at walk in hippotherapy. *Kinesiology*, 44(2), 148–154.
- Janura, M., Svoboda, Z., Cabell, L., Dvořáková, T., & Jelen, K. (2015). Effect of repeated therapeutichorse riding sessions on the trunk movement of the rider. *Neuroendocrinology Letters*, 36(5), 481–489. PMID: 26707049
- Kang, H., Jung, J., & Yu, J. (2012). Effects of hippotherapy on the sitting balance of children with cerebral palsy: A randomized control trial. *Journal of Physical Therapy Science*, 24(9), 833–836. <http://doi.org/10.1589/jpts.24.833>
- Kim, S. G., & Lee, C.-W. (2014). The effects of hippotherapy on elderly persons' static balance and gait. *Journal of Physical Therapy Science*, 26(1), 25–27. <http://doi.org/10.1589/jpts.26.25>

Kitagawa, T., Takahito, T., Shinomiya, Y., Ishida, K., Wang, S., & Kimura, T. (2001). Cause of active motor function by passive movement. *Journal of Physical Therapy Science*, 13, 167-172. <http://doi.org/10.1589/jpts.13.167>

Knueven, L., Collins, J.J., Hakim, R.M., & Sensbach, K. (2005). Case report: Effects of hippotherapy on balance and functional performance in a child with a neurological disorder. Proceedings from: American Physical Therapy Association Combined Sections Meeting. New Orleans, LA (poster)

Kraft, K. A., Weisberg, J., Finch, M. D., Nickel, A., Griffin, K. H., & Barnes, T. L. (2019). Hippotherapy in Rehabilitation Care for Children With Neurological Impairments and Developmental Delays: A Case Series. *Pediatric Physical Therapy*, 31(1), E14-E21.

Krejčí, E., Janura, M., & Svoboda, Z. (2015). The benefit of hippotherapy for improvement of attention and memory in children with cerebral palsy: A pilot study. *Acta Gymnica*, 45(1), 27–32. <http://doi.org/10.5507/ag.2015.004>

Kuczinsky, M. & Slonka, K. (1999). Influence of artificial saddle riding on postural stability in children with cerebral palsy, *Gait and Posture* 10(2), 154-160.
[https://doi.org/10.1016/S0966-6362\(99\)00028-4](https://doi.org/10.1016/S0966-6362(99)00028-4)

Kwon, J.Y., Chang, H.J., Yi, S.H., Lee, J.Y., Shin, H.Y., & Kim, Y.H. (2015). Effect of hippotherapy on gross motor function in children with cerebral palsy: A randomized controlled trial. *Journal of Alternative and Complementary Medicine*, 21(1): 15-21.
<https://doi.org/10.1089/acm.2014.0021>

Kwon, J.Y., Chang, H.J., Kwon, J., Lee, J., & Kim, Y. (2012). The Effects of hippotherapy on the motor function of children with spastic bilateral cerebral palsy. *Journal of Physical Therapy Science*, 24(12), 1277-80. <http://doi.org/10.1589/jpts.24.1277>

Lechner, H.E., Kakebeeke, T.H., Hegermann, D., & Baumberger, M. (2007). The effect of hippotherapy on spasticity and on mental well-being of persons with spinal cord injury. *Archives of Physical Medicine and Rehabilitation*, 88(10), 1241- 1248.
<https://doi.org/10.1016/j.apmr.2007.07.015>

Lechner, H. E., Feldhaus, S., Gudmundsen, L., Hegemann, D., Michel, D., Zäch, G. A., & Knecht, H.(2003). The short-term effect of hippotherapy on spasticity in patients with spinal cord injury. *Spinal Cord: The Official Journal of the International Medical Society of Paraplegia*, 41(9), 502–505. <https://doi.org/10.1038/sj.sc.3101492>

Lee, C.W., Seong, G.K., & Yong, M.S. (2014). Effects of hippotherapy on recovery of gait and balance ability in patients with stroke. *Journal of Physical Therapy Science*, 26(2): 309-11. <http://doi.org/10.1589/jpts.26.309>

Lemke, D., Rothwell, E., Newcomb, T.M., & Swoboda, K.J. (2014). Perceptions of equine-assisted activities and therapies by parents and children with spinal muscular atrophy. *Pediatric Physical Therapy*, 26(2): 237-44.
<http://doi.org/10.1097/PEP.0000000000000027>

Lindroth, J.L., Sullivan, J.L., & Silkwood-Sherer, D. (2015). Does hippotherapy effect use of sensory information for balance in people with multiple sclerosis? *Physiotherapy Theory & Practice*, 31(8), 575–581. <https://doi.org/10.3109/09593985.2015.1067266>

Liptak, G.S. (2005). Complementary and alternative therapies for cerebral palsy. *Mental Retardation and Developmental Disabilities Research Reviews*, 11(2), 156-63.

Llambias, C., Magill-Evans, J., Smith, V. et al (Nov/Dec 2016) Equine-Assisted Occupational Therapy: Increasing Engagement for Children with Autism Spectrum Disorder. *The American Journal of Occupational Therapy*, 70 (6)1-9. DOI:10.5014/ajot.2016.020701

Lucena-Antona, L., Rosety-Rodríguez, I., Moral-Munoz, J. (2018) Effects of a hippotherapy intervention on muscle spasticity in children with cerebral palsy: A randomized controlled trial. *Complementary topics in Clinical Practice*, 31,188-192.

Macauley, B., & Gurierrez, K. (2004). The effectiveness of hippotherapy for children with language-learning disabilities. *Communications Disorders Quarterly*, 25(4): 205-217.

Mackow, A., Malachowska-Sobieska, M., Demczuk-Wlodarcyzk, E., Sidorowska, M., Szklarska, A., & Lipowicz, A. (2014). Influence of neurophysiological hippotherapy on the transference of the centre of gravity among children with cerebral palsy. *Ortopedia Traumatologia Rehabilitacja*, 16(6), 581-93. <https://doi.org/10.5604/15093492.1135048>

Manikowsa, F., Jozwiak, M., Idzior, M., Chen, P.J., & Tarnowski, D. (2013). The effect of a hippotherapy session on spatiotemporal parameters of gait in children with cerebral palsy – pilot study. *Ortopedia Traumatologia Rehabilitacja*, 15(3), 253-7. <https://doi.org/10.5604/15093492.1058420>.

McGee, M.C., & Reese, N.M (2009). Immediate effects of a hippotherapy session on gait parameters in children with spastic cerebral palsy. *Pediatric Physical Therapy*, 21(2), 212-218. <https://doi.org/10.1097/PEP.0b013e3181a39532>

McGibbon, N.H., Andrade, C.K., Widener, G., & Cintas, H.L. (1998). Effect of an equine movement therapy program on gait, energy expenditure, and motor function in children with spastic cerebral palsy: a pilot study. *Developmental Medicine and Child Neurology*, 40(1), 754-762. <https://doi.org/10.1111/j.1469-8749.1998.tb12344.x>

McGibbon, N.H., Benda, W., Duncan, B.R., & Silkwood-Sherer, D. (2009). Immediate and long-term effects of hippotherapy on symmetry of adductor muscle activity and functional ability in children with spastic cerebral palsy. *Archives of Physical Medicine and Rehabilitation*, 90(6), 966-974. <https://doi.org/10.1016/j.apmr.2009.01.011>

Memishevikj, H., & Hodzhikj, S. (2010). The effects of equine-assisted therapy in improving the psycho-social functioning of children with autism. *Journal of Special Education and Rehabilitation*, 11, 57–67.

Meregillano, G. (2004). Hippotherapy. *Physical Medicine and Rehabilitation Clinics of North America*, 15(4), 843-54. <http://doi.org/10.1016/j.pmr.2004.02.002>

Menezes, K. M., Copetti, F., Wiest, M. J., Trevisan, C. M., & Silveira, A. F. (2013). Effect of hippotherapy on the postural stability of patients with multiple sclerosis: A preliminary study. *Fisioterapia E Pesquisa*, 1000(4), 43–49. <https://doi.org/10.1590/S1809-29502013000100008>

Mi, Y. S., Young, L. J., Yeon, S. H., Sik, S. Y., & Yi, K. J. (2019). Factors Influencing Motor Outcome of Hippotherapy in Children with Cerebral Palsy. *Neuropediatrics*, 50(03), 170-177.

Millhouse-Flourie, T. J. (2004). Physical, occupational, respiratory, speech, equine and pet therapies for mitochondrial disease. *Mitochondrion*, 4(5–6), 549–558. <https://doi.org/10.1016/j.mito.2004.07.013>

Moraes, A., Copetti, F., Angelo, V., Chiavoloni, L., David, A. (2016) The effects of hippotherapy on postural balance and functional ability in children with cerebral palsy. *The Journal of Physical Therapy Science*, 28, 2220

Moriello, G., Terpstra, M. E., & Earl, J. (2019). Outcomes following physical therapy incorporating hippotherapy on neuromotor function and bladder control in children with Down syndrome: A case series. *Physical & occupational therapy in pediatrics*, 1-14.

Muñoz-Lasa, Susana, Carlos López de Silanes, M. Ángeles Atín-Arratibel, Carmen Bravo-Llatas, Salvador Pastor-Jimeno, and Nuria Máximo-Bocanegra. "Effects of hippotherapy in multiple sclerosis: Pilot study on quality of life, spasticity, gait, pelvic floor, depression and fatigue." *Medicina Clínica (English Edition)* 152, no. 2 (2019): 55-58.

Murphy, D., Kahn-D'Angelo, L., & Gleason, J. (2008). The effect of hippotherapy on functional outcomes for children with disabilities: A pilot study. *Pediatric Physical Therapy*, 20(3), 264–270. <https://doi.org/10.1097/PEP.0b013e31818256cd>

Mutoh, T., Mutoh, t., Tsubone, H., et al. (2018) Impact of serial gait analyses on long-term outcome of hippotherapy in children and adolescents with cerebral palsy. *Complementary Therapies in Clinical Practice* 30,19-23

Oh, Y., Joung, Y. S., Jang, B., Yoo, J. H., Song, J., Kim, J., ... & Kwon, J. Y. (2018). Efficacy of hippotherapy versus pharmacotherapy in attention-deficit/hyperactivity disorder: A randomized clinical trial. *The Journal of Alternative and Complementary Medicine*, 24(5), 463-471.

O'Neil, M.E., Fragala-Pinkham, M.A., Westcott, S.L., Martin, K., Chiarello, L.A., Valvano, J., & Rose, R.U. (2006). Physical therapy clinical management recommendations for children with cerebral palsy – spastic diplegia: Achieving functional mobility outcomes. *Pediatric Physical Therapy*, 18(1), 49-72. <http://doi.org/10.1097/01.pep.0000202099.01653.a9>

O'Mahony, R., Connolly, E., & Hynes, P. (2019). A qualitative study of Irish parents' views on hippotherapy, including its influence on their children's home-based occupations. *Irish Journal of Occupational Therapy*. <https://doi.org/10.1108/IJOT-11-2018-0018>

Park, E.S., Rha, D.W., Shin, J.S., Kim, S., & Jung, S. (2014). Effects of hippotherapy on gross motor function and functional performance of children with cerebral palsy. *Yonsei Medical Journal*, 55(6), 1736-42. <https://doi.org/10.3349/ymj.2014.55.6.1736>.

Park, J.H., Shurtleff, T., Engsberg, J., Rafferty, S., You, J.Y., You, I.Y., & You, S.H. (2014). Comparison between the robo-horse and real horse movements for hippotherapy. *Biomedical Materials and Engineering*, 24(6), 2603-10. <https://doi.org/10.3233/BME-141076>

Pauw, J. (2000). Therapeutic horseback riding studies: Problems experienced by researchers. *Physiotherapy*, 86(10), 523-527. [https://doi.org/10.1016/S0031-9406\(05\)60986-8](https://doi.org/10.1016/S0031-9406(05)60986-8)

Pham, C., & Bitonte, R. (2016). Hippotherapy: Remuneration issues impair the offering of this therapeutic strategy at Southern California rehabilitation centers. *NeuroRehabilitation*, 38(4), 411–417. <http://doi.org/10.3233/NRE-161332>

Pluta, M. (2011). Parental perceptions of the effect of child participation in hippotherapy programme on overall improvement of child mental and physical wellbeing. *Annales Universitatis Mariae Curie-Skłodowska. Sectio EE: Zootechnica*, 29(4), 74–84.

Portaro, S., Cacciola, A., Naro, A., Cavallaro, F., Gemelli, G., Aliberti, B., ... & Milardi, D. (2019). Can Individuals with Down Syndrome Benefit from Hippotherapy? An Exploratory Study on Gait and Balance. *Developmental Neurorehabilitation*, 1-6.

Quint, C., & Toomey, M. (1998). Powered saddle and pelvic mobility: An investigation into the effects on pelvic mobility of children with cerebral palsy of a powered saddle which imitates the movements of a walking horse. *Physiotherapy*, 84(8), 376-384. [https://doi.org/10.1016/S0031-9406\(05\)61458-7](https://doi.org/10.1016/S0031-9406(05)61458-7)

Ribeiro, M.F., Espindula, A.P., Bevilacqua, D.E., et al (2018) Activation of lower limb muscles with different types of mount in Hippotherapy. *Journal of Bodywork and Movement Therapies*, (22)52-56

Ribeiro, M.F., Espindula, A.P., Ferreira, A.A., Ferraz, M.L.F., Souza, L.A.P.S., Diniz, L.H., & Teixeira, V.D.P.A. (2015). Electromyographic evaluation of lower limbs in individuals with down syndrome in hippotherapy. *Physiotherapy*, 101(2), e1279–e1280. <http://dx.doi.org/10.1016/j.physio.2015.03.1192>

Rigby B, Gloeckner A, Sessums S et al, (2017). Changes in Cardiorespiratory Responses and Kinematics with Hippotherapy in Youth with and without Cerebral Palsy. *Research Quarterly for Exercise and Sport*, 88(1) 26-35

Rothhaupt, D., Ziegler, H., & Laser, T. (1997). Orthopedic hippotherapy—new methods in treatment of segmental instabilities of the lumbar spine. *Wiener Medizinische Wochenschrift*, 147(22), 504-8. PMID: 9487617

Seon, G.K., & Lee, C.W. (2014). The effects of hippotherapy on elderly persons' static balance and gait. *Journal of Physical Therapy Science*, 26(1), 25-27. <http://doi.org/10.1589/jpts.26.25>

- Shurtleff, T.L., & Engsberg, J.R. (2010). Changes in trunk and head stability after hippotherapy: A pilot study. *Physical and Occupational Therapy in Pediatrics*, 30(2), 150-163. <https://doi.org/10.3109/01942630903517223>
- Shurtleff, T.L., Standeven, J.W., & Engsberg, J.R. (2009). Changes in dynamic trunk/head stability and functional reach after hippotherapy. *Archives of Physical Medicine and Rehabilitation*, 90, 1185-1195. <https://doi.org/10.1016/j.apmr.2009.01.026>
- Shurtleff, T., & Engsberg, J.R. (2012). Long-term effects of hippotherapy on one child with cerebral palsy: A research case study. *British Journal of Occupational Therapy*, 75(8), 359–366. <https://doi.org/10.4276/030802212X13433105374279>
- Silkwood-Sherer, D., & Warmbier, H. (2007). Effects of hippotherapy on postural stability in persons with multiple sclerosis. *Journal of Neurologic Physical Therapy*, 31(2), 77-84. <https://doi.org/10.1097/NPT.0b013e31806769f7>
- Silkwood-Sherer, D., Killian, C., Long, T., & Martin, K. (2012). Hippotherapy- an intervention to habilitate balance deficits in children with movement disorders: A clinical trial. *Physical Therapy*, 92 (5), 707-717. <https://doi.org/10.2522/ptj.20110081>
- Snider, L., Korner-Bitensky, N., Kammann, C., Warner, S., & Saleh, M. (2007). Horseback riding as therapy for children with cerebral palsy: Is there evidence of its effectiveness? *Physical & Occupational Therapy in Pediatrics*, 27(2), 5-23. https://doi.org/10.1080/J006v27n02_02
- Sunwoo, H., Chang, W. H., Kwon, J.-Y., et al. (2012). Hippotherapy in adult patients with chronic brain disorders: A pilot study. *Annals of Rehabilitation Medicine*, 36(6), 756–61. <https://doi.org/10.5535/arm.2012.36.6.756>
- Taylor, R., Kielhofner, G., Smith, C., et al. (2009). Volitional change in children with autism: A single-case design study of the impact of hippotherapy on motivation. *Occupational Therapy in Mental Health*, 25, 192–200. <https://doi.org/10.1080/01642120902859287>
- Thompson, F., Ketcham, C., Hall, E. (2014). Hippotherapy in Children with Developmental Delays: Physical Function and Psychological Benefits. *Advances in Physical Education*, 4,60-9.<http://dx.doi.org/10.4236/ape.2014.4200>
- Uchiyama, H., Ohtani, N., & Ohta, M. (2011). Three dimensional analysis of horse and human gaits in therapeutic riding. *Applied Animal Behavior Science*, 135, 271-276. <https://doi.org/10.1016/j.applanim.2011.10.024>
- Vermöhlen, V., Schiller, P., Schickendantz, S., Drache, M., Hussack, S., Gerber-Grote, A., & Pöhlau, D. (2018). Hippotherapy for patients with multiple sclerosis: A multicenter randomized controlled trial (MS-HIPPO). *Multiple Sclerosis Journal*, 24(10), 1375-1382.
- Weissman-Miller, D., Miller, R. J., & Shotwell, M. P. (2017). Translational research for occupational therapy: Using SPRE in hippotherapy for children with developmental disabilities. *Occupational therapy international*, 2017.

Yokoyama, M., Kaname, T., Tabata, M., Hotta, K., Shimizu, R., Kamiya, K., Kmekawa, D., Kato, M., Akiyama, A., Oht, M., & Masuda, T. (2013). Hippotherapy to improve hypertonia caused by an autonomic imbalance in children with spastic cerebral palsy. *Kitasato Medical Journal*, 43, 67–73.

Zadnikar, M. & Katrin, A. (2011). Effects of hippotherapy and therapeutic horseback riding on postural control or balance in children with cerebral palsy: A meta-analysis. *Developmental Medicine and Child Neurology*, 53(8), 684-691.
<https://doi.org/10.1111/j.1469-8749.2011.03951.x>

Zadnikar, M., & Rugelj, D. (2011). Postural stability after hippotherapy in an adolescent with cerebral palsy. *Journal of Novel Physiotherapies*, 1(1), 1-5.

PEER-REVIEWED CASE STUDIES

This section includes articles that are single case studies (i.e. one participant). These articles are more difficult to generalize to large populations, but provide useful information and were conducted in a scientific manner.

Aldridge, R., Schweighart, F., Easley, M., & Wagoner, B. (2001). The effects of hippotherapy on motor performance and function in an individual with bilateral developmental dysplasia of the hip (DDH). *Journal of Physical Therapy*, 2, 54-63.

Brady, H., James, R., Dendy, D., et al, (2018) Case Report: Gait and Gross Motor Improvements in a Two-Year-Old Child With Arthrogryposis After Hippotherapy Intervention Using a Norwegian Fjord. *Journal of Equine Veterinary Science*, xxx 1-4DOI: 10.1016/j.jevs.2018.02.003

Champagne, D., & Dugas, C. (2010). Improving gross motor function and postural control with hippotherapy in children with down syndrome: Case reports. *Physiotherapy Theory and Practice*, 26(8), 564–571. <https://doi.org/10.3109/09593981003623659>

Erdman, E., Pierce, S. (2016). Use of Hippotherapy with a boy after traumatic brain injury: a case study. *Pediatric Physical Therapy*, 28, 109–116.
<https://doi.org/10.1097/PEP.0000000000000204>

Frank, A., McCloskey, S., Dole, R.L. (2001). Effect of hippotherapy on perceived self-competence and participation in a child with cerebral palsy. *Pediatric Physical Therapy*, 23(3), 301-308. <https://doi.org/10.1097/PEP.0b013e318227caac>

Kulkarni-Lambore, S., McGuigan, A., Narula, N., Sepelak, K. (2001). Kinematic gait analysis of an individual with cerebral palsy before and after hippotherapy. *Physical Therapy*, 81(5), A40–A41.

Osborne, M.B.A. (1998). Hippotherapy as an intervention modality for a patient with cerebellar dysfunction. *Physical Therapy Case Reports*, 1(1), 58-60.

Rollandelli, P.S., & Dunst, C.J. (2003). Influences of hippotherapy on the motor and social-emotional behavior of young children with disabilities. *Bridges. Practice-Based Research*

Syntheses. Research and Training Center on Early Childhood Development. Puckett Institute. 2(1), 1-14.

Shurtleff, T.L., & Engsberg, J.R. (2012). Long-term effects of hippotherapy on one child with cerebral palsy: A research case study. *British Journal of Occupational Therapy*, 75(8), 359-66.

Taylor, R. R., Kielhofner, G., Smith, C., Butler, S., Cahill, S. M., Ciukaj, M. D., & Gehman, M. (2009). Volitional change in children with autism: A single-case design study of the impact of hippotherapy on motivation. *Occupational Therapy in Mental Health*, 25, 192–200. <https://doi.org/10.1080/01642120902859287>

Tucker, R. (2019). The Effect Of A Five-Week Hippotherapy Programme On Gait In A Child With Angelman's Syndrome. A Case Study Using The Wee Glasgow Gait Index (Weeggi). *International Journal of Therapy And Rehabilitation*, 26(6), 4-4.

Wehofer, L., Goodson, N., & Shurtleff, T. L. (2013). Equine assisted activities and therapies: A case study of an older adult. *Physical & Occupational Therapy in Geriatrics*, 31(1), 71–87. <https://doi.org/10.3109/02703181.2013.766916>

ARTICLES & BOOK CHAPTERS

These studies or articles were published in non-peer reviewed magazines or as chapters of a book, which collected early clinical observations. The information provided is not always what is supported by clinical trials/evidence.

Baker, E. (1997). A comparison of change in flexible kyphosis pre- and post-hippotherapy-a research approach. In: Engel B. *Therapeutic Riding II Strategies for Rehabilitation* (283-286). Durango, CO.

Baker, S. (2015). Emerging practice areas: Occupational therapy and hippotherapy. *Connections*, 12(5), 14–15.

Byam, E., & Simmons, D. (2005). Environment and occupation in hippotherapy. *OT Practice*, 10(7), 13-8.

Dismuke-Blakely, R. (1984). Rehabilitative horseback riding for children with language disorders. *The Pet Connection*, 31-140.

Cantu, C.O. (2005). Hippotherapy: Facilitating occupational performance. *Exceptional Parent*, 35(3), 51-3.

Cerquozzi, C., Cerquozzi, E., Darragh, A., & Miller-Kuhaneck, H. (2007). An exploratory survey of occupational therapists' role in hippotherapy. *American Occupational Therapy Association's Developmental Disabilities Special Interest Section Quarterly*, 30(3), 1–4.

Ciesla, A. (2007). The Characteristic of horses used in hippotherapy in selected horse therapy centres in Poland. *Acta Scientiarum Polonorum Zootechnica*, 6(1), 3–14.

Cohen, B. (1992). Therapy is the key word in equine treatment. *Advance: The Physical Therapy Weekly*, 8(8), 48.

DeGutis, D.L. (2003). Hippotherapy aids children with sensory and motor issues. *Exceptional Parent*, 33(11), 55-7.

Ellis, J. (1995). Texas physical therapist volunteers at circle-t therapeutic riding center: Hippotherapy provides children with physical, psychological benefits. *Physical Therapy Bulletin*, 12: 6-7.

Fox, J., & Peterson, B. (1997). Enduring effect of hippotherapy on passive hip abduction in children with spastic cerebral palsy. In: Engel, B. *Rehabilitation with the Aid of a Horse: A Collection of Studies* (277-296). Durango, CO.

Gewartz, R. (2003). The use of sensory integration in equine-assisted therapy: An occupational therapy perspective. *Occupational Therapy Now*, 5(1), 8-10.

Hansen, K. (1997). A group case study: Hippotherapy as a means of improving gross motor function in children with cerebral palsy. In: Engel, B. *Rehabilitation with the Aid of a Horse: A Collection of Studies* (233-240). Durango, CO.

Heine, B. (1997). Introduction to hippotherapy. *Strides* 3(2), 10-13.

Heine, B., & Benjamin, J. (2000). Introduction to hippotherapy. *Advance: The Physical Therapy Weekly*, 11(13), 11-13.

Holman L. (2019). Children and Stroke. In: Wilson R, Raghavan P. *Stroke Rehabilitation* (267-278) St. Louis, Missouri.

Latella, D., & Langford, S. (2008). Hippotherapy: An effective approach to occupational therapy intervention. *OT Practice*, 13(2), 16-20.

Martin, K., & Stormont-Smith, J. (1997). T.H.E. C.H.A.P.S. hippotherapy pilot project: A case study. In: Engel, B. *Rehabilitation with the Aid of a Horse: A Collection of Studies* (227-232). Durango, CO.

McNulty, B.R. (2003). Hippotherapy: Exceptional treatment with multiple benefits. *Exceptional Parent*, 33(11), 58-9.

Murphy, J. (1994). Hippotherapy continues progress in research and accreditation. *Advance: The Physical Therapy Weekly*, 5(41), 8-9.

Ries, E. (2001, June). Passions for the profession. *PT: Magazine of Physical Therapy*, 35-42.

Ruddock, L. (1992). Hippotherapy. *Advance: The Physical Therapy Weekly*, 5(3), 12-13.

Valle, L. M. O., Nishimori, A. Y., & Neme, K. (2014). Speech therapy in hippotherapy. *Atualizacao Cientifica Em Fonoaudiologia E Educacao*, 16(2), 511-523.
<http://dx.doi.org/10.1590/1982-0216201420712>

- Wasserman R, Keeney A. (1997). Hippotherapy for a child with cerebral palsy. In: Engel, B. *Rehabilitation with the Aid of a Horse: A Collection of Studies* (241-248). Durango, CO.
- Wheeler, A. (1997). A case study of a boy diagnosed with spina bifida. In: Engel, B. *Rehabilitation with the Aid of a Horse: A Collection of Studies* (221-226). Durango, CO.
- Young R. L. (2005). Therapeutic components and the link to occupational therapy. *International Journal of Therapy & Rehabilitation*, 12(2), 78–82.